

# Claims

- [c1] A transponder–reader transaction system configured with a biometric security system, said system comprising:
- a transponder configured to communicate with a reader;
  - a reader configured to communicate with said system;
  - a smellprint sensor configured to detect a proffered smellprint sample, said smellprint sensor configured to communicate with said system; and,
  - a device configured to verify said proffered smellprint sample to facilitate a transaction.
- [c2] The transponder–reader transaction system of claim 1, wherein said sensor is configured to communicate with said system via at least one of a transponder, a reader, and a network.
- [c3] The transponder–reader transaction system of claim 1, wherein said smellprint sensor is configured to facilitate a finite number of scans.
- [c4] The transponder–reader transaction system of claim 1, wherein said smellprint sensor is configured to log at least one of a detected smellprint sample, processed

smellprint sample and stored smellprint sample.

- [c5] The transponder–reader transaction system of claim 1, further including a database configured to store at least one data packet, wherein said data packet includes at least one of proffered and registered smellprint samples, proffered and registered user information, terrorist information, and criminal information.
- [c6] The transponder–reader transaction system of claim 5, wherein said database is contained in at least one of the transponder, transponder reader, sensor, remote server, merchant server and transponder–reader system.
- [c7] The transponder–reader transaction system of claim 6, wherein said remote database is configured to be operated by an authorized sample receiver.
- [c8] The transponder–reader transaction system of claim 1, wherein said smellprint sensor device is configured with at least one of an electronic sensor, chemical sensor, gas chromatograph, spectrometer, conductivity sensor and piezoelectric sensor.
- [c9] The transponder–reader transaction system of claim 1, wherein said smellprint sensor is configured to detect and verify smellprint characteristics using at least one of statistical, ANN and neuromorphic techniques.

- [c10] The transponder–reader transaction system of claim 1, wherein said smellprint sensor is configured to detect and verify smellprint characteristics including molecular structures, chemical compounds, temperature, mass differences, pressure, force and odorants.
- [c11] The transponder–reader transaction system of claim 1, wherein said smellprint sensor device is configured to detect false odorants, man–made smells, abnormal odorants and body heat.
- [c12] The transponder–reader transaction system of claim 1, further including a device configured to compare a preferred smellprint sample with a stored smellprint sample.
- [c13] The transponder–reader transaction system of claim 12, wherein said device configured to compare a smellprint sample is at least one of a third–party security vendor device and protocol/sequence controller.
- [c14] The transponder–reader transaction system of claim 12, wherein a stored smellprint sample comprises a registered smellprint sample.
- [c15] The transponder–reader transaction system of claim 14, wherein said registered smellprint sample is associated with at least one of: personal information, credit card in–

formation, debit card information, savings account information, and loyalty point information.

[c16] The transponder-reader transaction system of claim 15, wherein different registered smellprint samples are associated with a different one of: personal information, credit card information, debit card information, savings account information, and loyalty point information.

[c17] The transponder-reader transaction system of claim 15, wherein a smellprint sample is primarily associated with at least one of first user information, wherein said first information comprises personal information, credit card information, debit card information, savings account information, and loyalty point information, and wherein a smellprint sample is secondarily associated with at least one of second user information, wherein said second information comprises personal information, credit card information, debit card information, savings account information, and loyalty point information, where second user information is different than first user information.

[c18] The transponder-reader transaction system of claim 1, wherein said transponder-reader transaction system is configured to begin mutual authentication upon verification of said proffered smellprint sample.

- [c19] The transponder–reader transaction system of claim 1, wherein said transponder is configured to deactivate upon rejection of said proffered smellprint sample.
- [c20] The transponder–reader transaction system of claim 1, wherein said sensor is configured to provide a notification upon detection of a sample.
- [c21] The transponder–reader transaction system of claim 1, wherein said device configured to verify is configured to facilitate at least one of access, activation of a device, a financial transaction, and a non–financial transaction.
- [c22] The transponder–reader transaction system of claim 1, wherein said device configured to verify is configured to facilitate the use of at least one secondary security procedure.
- [c23] A method for facilitating biometric security in a transponder–reader transaction system comprising:  
proffering a smellprint to a smellprint sensor communicating with said system to initiate verification of a smellprint sample for facilitating authorization of a transaction.
- [c24] The method for of claim 23, further comprising registering at least one smellprint sample with an authorized sample receiver.

- [c25] The method of claim 24, wherein said step of registering further includes at least one of: contacting said authorized sample receiver, proffering a smellprint to said authorized sample receiver, processing said smellprint to obtain a smellprint sample, associating said smellprint sample with user information, verifying said smellprint sample, and storing said smellprint sample upon verification.
- [c26] The method of claim 23, wherein said step of proffering includes proffering a smellprint to at least one of an electronic sensor, chemical sensor, gas chromatograph, spectrometer, conductivity sensor and piezoelectric sensor.
- [c27] The method of claim 23, wherein said step of proffering further includes proffering a smellprint to a smellprint sensor communicating with said system to initiate at least one of: storing, comparing, and verifying said smellprint sample.
- [c28] The method of claim 23, wherein said step of proffering a smellprint to a smellprint sensor communicating with said system to initiate verification further includes processing database information, wherein said database information is contained in at least one of a transponder,

transponder reader, sensor, remote server, merchant server and transponder-reader system.

- [c29] The method of claim 23, wherein said step of proffering a smellprint to a smellprint sensor communicating with said system to initiate verification further includes comparing a proffered smellprint sample with a stored smellprint sample.
- [c30] The method of claim 29, wherein said step of comparing includes comparing a proffered smellprint sample to a stored smellprint sample by using at least one of a third-party security vendor device and protocol/sequence controller.
- [c31] The method of claim 29, wherein said step of comparing includes comparing smellprint characteristics using at least one of statistical, ANN and neuromorphic techniques.
- [c32] The method of claim 23, wherein said step of proffering a smellprint to a smellprint sensor communicating with said system further comprises using said smellprint sensor to detect at least one of false odorants, man-made smells, abnormal odorants and body heat.
- [c33] The method of claim 23, wherein said step of proffering a smellprint to a smellprint sensor communicating with

said system to initiate verification further includes at least one of detecting, processing and storing at least one second proffered smellprint sample.

[c34] The method of claim 23, wherein said step of proffering a smellprint to a smellprint sensor communicating with said system to initiate verification further includes the use of at least one secondary security procedure.

[c35] A method for facilitating biometric security in a transponder-reader transaction system comprising:  
detecting a proffered smellprint at a sensor communicating with said system to obtain a proffered smellprint sample;  
verifying the proffered smellprint sample; and  
authorizing a transaction to proceed upon verification of the proffered smellprint sample.

[c36] The method of claim 35, wherein said step of detecting further includes detecting a proffered smellprint at a sensor configured to communicate with said system via at least one of a transponder, reader, and network.

[c37] The method of claim 35, wherein said step of detecting a proffered smellprint includes detecting a proffered smellprint at least one of an electronic sensor, chemical sensor, gas chromatograph, spectrometer, conductivity



sensor and piezoelectric sensor.

- [c38] The method of claim 35, wherein said step of detecting includes at least one of: detecting, storing, and processing a proffered smellprint sample.
- [c39] The method of claim 35, wherein said step of detecting further includes receiving a finite number of proffered smellprint samples during a transaction.
- [c40] The method of claim 35, wherein said step of detecting further includes logging each proffered smellprint sample.
- [c41] The method of claim 35, wherein said step of detecting further includes at least one of detection, processing and storing at least one second proffered smellprint sample.
- [c42] The method of claim 35, wherein said step of detecting further includes using said smellprint sensor to detect at least one of false odorants, man-made smells, abnormal odorants and body heat.
- [c43] The method of claim 35, wherein said step of verifying includes comparing a proffered smellprint sample with a stored smellprint sample.
- [c44] The method of claim 43, wherein said step of comparing a proffered smellprint sample with a stored smellprint

sample comprises storing, processing and comparing smellprints using at least one of statistical, ANN and neuromorphic techniques.

- [c45] The method of claim 43, wherein comparing a proffered smellprint sample with a stored smellprint sample includes comparing a proffered smellprint sample with at least one of a biometric sample of a criminal, a terrorist, and a transponder user.
- [c46] The method of claim 35, wherein said step of verifying includes verifying a proffered smellprint sample using information contained on at least one of a local database, a remote database, and a third-party controlled database.
- [c47] The method of claim 35, wherein said step of verifying includes verifying a proffered smellprint sample using one of a protocol/sequence controller and a third-party security vendor.